



RSRE MEMORANDUM No. 4463

POYAL SIGNALS & RADAR ESTABLISHMENT

ANALYSIS OF THE PHONEME RECOGNITION PERFORMANCE OF THE ARM CONTINUOUS SPEECH RECOGNITION SYSTEM

Author: S R Browning

PROCUREMENT EXECUTIVE, MINISTRY OF DEFENCE, RSRE MALVERN, WORCS.

Best Available Copy

n 1 1

91-06119

UNLIMITED

0100492	CONDITIONS OF RELEASE	302014
	*******	DRIC U
COPYRIGHT (c) 1988 CONTROLLER HMSO LONDON		
	*******	DAICY
Reports quoted are organisations.	not necessarily available to members of the publi	c or to commercial

· Andrews

Royal Signals and Radar Establishment Memorandum 4463

Analysis of the phoneme recognition performance of the ARM continuous speech recognition system


S R Browning

21st March 1991


Abstract

This memorandum presents the results of a phonetically motivated analysis of the speech recognition system developed as part of the ARM (Airborne Reconnaissance Mission) project. The aim of the work described here is to investigate to what extent errors can be explained by phonetic effects; those which cannot may indicate where models may be improved. The background to the investigation, and the problems of evaluating phoneme recognition performance are described, then the remainder of the report is concerned with a detailed analysis of specific types of errors, motivated by a desire to find phonetic explanations of them.

Copyright (C)
Controller HMSO London
1991







Contents

1	Inti	roduct	ion	1
2	Bac	kgrou	nd	1
	2.1	The A	ARM task	. 1
	2.2	The S	Speakers	. 1
	2.3	The S	- System	2
			nating the performance	
3		Anal		3
•				_
	3.1	-	ysis of correctness/accuracy	
			Individual phonemes	
			Manner of articulation	
		3.1.3	Place of articulation	. 6
	3.2		itutions	
		3.2.1	Individual phonemes	. 6
			Manner of articulation	
		3.2.3	Place of articulation	. 8
		3.2.4	Contextual effects	. 8
	3.3	Delet	ions	. 9
		3.3.1	Individual phonemes	9
		3.3.2	Manner of articulation	. 9
		3.3.3	Place of articulation	. 10
		3.3.4	Contextual effects	. 10
	3.4	Insert	ions	. 11
		3.4.1	Individual phonemes	. 11
			Manner of articulation	
		3.4.3	Place of articulation	13
		3.4.4	Contextual effects	13
4	Disc	ussio	n and conclusions	14
Rei	feren			15
			Phoneme frequency	16
Ī	_		The ARM Vocabulary	17
•	•		Decide in Add	31

List of tables

Table 1	Summary of phoneme recognition results	3
Table 2	Individual phoneme correct/accuracy for each and all speakers	4
Table 3	Phoneme substitutions (%) for each and all speakers	7
Table 4	Confusion matrix for manner of articulation - all speakers	8
Table 5	Confusion matrix for place of articulation - all speakers	9
Table 6	Phoneme deletions (%) for each and all speakers	10
Table 7	Phoneme insertions for each and all speakers	12
List o	f figures	
Figure 1	Key of Manner and place class membership	5
Figure 2	Graph of manner class correct/accuracy	5
Figure 3	Graph of place class correct/accuracy	6
Figure 4	Graph of manner class substitutions	7
Figure 5	Graph of place class substitutions	8
Figure 6	Graph of manner class deletions	9
Figure 7	Graph of place class deletions	10
Figure 8	Graph of manner class insertions	12
Figure 9	Graph of place class insertions	13

1. Introduction

Branch Land Co.

This memorandum presents the results of a phonetically motivated analysis of the speech recognition system developed as part of the ARM (Airborne Reconnaissance Mission) project. The aim of the ARM project is accurate recognition of continuously spoken airborne reconnaissance reports using sub-word (phoneme) hidden Markov modelling techniques. The version of the system on which this study is based is speaker-dependent and has a vocabulary of 497 words. The ARM system is described in [5]. The version of the system on which this investigation was based scores an average of 86.8% word accuracy with word level syntax (i.e. perplexity = 497).

The aim of the work described here is to investigate to what extent errors can be explained by phonetic effects; those which cannot may indicate where models may be improved. For instance, if /p/ is misrecognised as /b/, this is understandable from the phonetic point of view as the two are acoustically rather similar; however, if /p/ were to be consistently misrecognised as /@ U/or /z/ this error would be difficult to explain in acoustic—phonetic terms, and would probably indicate that there is something wrong with the model(s).

The following section describes the background to the investigation, and the problems of evaluating phoneme recognition performance. The remainder of the report is then concerned with a detailed analysis of specific types of errors, motivated by a desire to find phonetic explanations of them. The phonemic transcriptions in this report are in the SAM-PA notation [2, 8], and see Appendix A for the list of phonemes and examples.

2. Background

2.1 The ARM task

The airborne reconnaissance mission reports which the ARM system recognises follow a standard format, beginning with some highly structured sentences recounting the mission details, such as time and place of observation. Then follows a slightly more free-format section where the reconnaissance pilot describes what he sees and assesses its condition. The report concludes with a brief description of the weather and visibility conditions. The vocabulary of the system with its citation-form phoneme transcription can be found in Appendix B. An example of an ARM report is given below.

Recce report two stroke charlie stroke six eight one. Military activity at map co-ordinates india hotel eight four three four. Time over target eleven oh seven GMT. New target cat zero one; operational airstrip. Roughly fifteen light aircraft of type possibly foxbat. Main runways heading southwest wholly unusable, SAM defences intact. TARWI fife eighths at niner hundred; end of report.

It is important to note that this is not a natural use of language, and this may influence the generality of the results of this study, in that the relative frequency of phonemes in the ARM vocabulary will not necessarily match that in natural language. In particular, the phoneme (D/, which ranks eighth in normal use (due to the high frequency of the word "the" in natural speech), does not occur at all in the data of two of the speakers examined here, and only occurs once for Speaker 2, who pronounces the word "with" as /wID/, rather than /wIT/. A comparison of phoneme frequencies in normal speech [3] with those in the ARM data can be found in Appendix A.

2.2 The Speakers

The system currently recognises the speech of three speakers, and is trained separately for each, using approximately fifteen minutes of speech (airborne reconnaissance mission reports) from each of the three. Speakers 1 and 2 are male; Speaker 1 is basically RP, while Speaker 2 has Midlands overtones. Speaker 3 is female and has north-eastern colours in her accent. Each speaker has their own dictionary to take account of dialectal variations. In this report I will be trying to draw some general conclusions about error types which apply to all three speakers, but the more important speaker differences will also be pointed out.

2.3 The System

The ARM system is described in detail in [7]. Sub-word (phoneme-like) hidden Markov models are used, but it is well known that the acoustic realisation of phonemes varies in different contexts. In order to take account of this context-sensitivity, approximately 1500 triphones are used. Triphone modelling assumes that it is the immediately surrounding context which exerts the most influence on the acoustic realisation of a particular phoneme, so a triphone is a model of a phoneme in its left and right context. In the current system this is restricted to word-internal contexts. See [6] for a full description of the triphone methods used in the ARM system.

In addition to the triphones for each context-sensitive phoneme, a number of short words are modelled explicitly at the word level. Non-speech sounds, such as breath noise or lip smacks are also modelled explicitly with a set of single state models. Both the word models and the noise models are treated in exactly the same way as the triphones.

For the purposes of the analysis described here the system was configured as a phoneme recogniser, with no dictionary and no syntax. There is, however, some measure of constraint, in that the right context of each triphone must match the left context of the next. This is no small constraint; as the triphones are word—internal, and the vocabulary so limited, the number of different triphones that actually occur is very small. (There are 1456 different triphones in the ARM set, while a 68000—word dictionary has 14378.)

2.4 Evaluating the performance

The system has so far been tested on ten ARM reports (that were not in the training set) from each speaker, containing a total of approximately 2290 phonemes per speaker, 6873 in all. The arrangement described above produced an average phoneme error rate of 26.2% for the three speakers. Phoneme recognition performance is measured by aligning the output of the system with a phonemic transcription of the test material. The latter is obtained by replacing each word in the orthographic transcription of the data with its phonemic transcription from the (speaker-dependent) dictionary. Errors are classified as substitutions, deletions or insertions. Substitutions occur when a phoneme is misrecognised as another phoneme, deletions when a phoneme has been missed by the system, and insertions when the system has recognised an extra phoneme. Recognition performance is stated in terms of correctness and accuracy. The first is simply a measure of how many times the system produced the same label as the dictionary transcription, while the second is a more stringent measure, which is calculated by subtracting the number of insertions from the number of correctly recognised phonemes, and as such is a more satisfactory indicator of the recognition performance.

The alignment of recognition results and transcription is automatic, and a summary of individual phoneme performance is also produced, along with a confusion matrix. However, this process is not accurate, in that sometimes errors in the alignment obscure correct matches, and insertions are counted as substitutions, etc. If alignment errors are taken into account the overall results are not significantly different (on average slightly over 1% either way), but as it is the distribution and details of the error types that are most important for this investigation, it is necessary to hand correct the alignment and scoring. This is quite a lengthy process as it involves listening to the speech at the same time as observing the labelling produced by the system on the spectrograms, and then re-compiling the phoneme statistics and confusion matrix. All the analyses in this paper are based on hand-corrected alignments.

It is in practice extremely difficult to assess performance, as in many cases the speaker may not actually produce the somewhat idealised pronunciation represented in the dictionary. For example, in the sequence "six six" the speaker is likely to produce only one /s/ (though it may be somewhat lengthened) for the two which phonemically occur over the word boundary. In this example, if the system recognises only one /s/ it is penalised for having deleted a phoneme. There are numerous examples of this nature, and these will be discussed under the appropriate categories below. In spite of these shortcomings, results are scored strictly against the dictionary transcription in order to ensure that the evaluation system is both consistent and automatic. We are, however, currently investigating the inclusion of alternative transcriptions in the dictionary, which will allow us to take account of many of these so-called errors.

3. The Analysis

In this section the phoneme recognition results are analysed in some detail. A summary of the phoneme recognition results for each speaker and for all speakers combined is shown in Table 1. From this it can be seen that the results for all three speakers are in the same range, although Speaker 2 and Speaker 3 have slightly better performance than Speaker 1. This general trend is evident in most of the more detailed analyses of phoneme performance; particular differences between speakers will be pointed out below.

Speaker	% correct	g, substitution	% deletion	% accuracy	total no. of phonemes
1	75.5	13.2	11.3	68.8	2290
2	82.0	10.9	7.1	76.8	2290
3	80.8	11.6	7.6	76.0	2293
All speakers	79.4	11.9	8.7	73.8	6873

Table 1 Summary of phoneme recognition results

The rest of Section 3 is devoted to a discussion of the different types of error. A complete set of tables showing the individual phoneme performance for each speaker and all speakers combined can be found in Appendix C (tables C1-4). For convenience and clarity in the following sections only the information about the factors under discussion will be presented.

3.1 Analysis of Correctness/accuracy

3.1.1 Individual phonemes

Table 2 shows the phoneme correct and accuracy scores for each speaker and all speakers. A number of phonemes (/D, oI, 3, e@ and U/) occur so rarely in the ARM reports that their results are unreliable indicators of performance, so these will be ignored in this analysis. The models with the poorest performance were those for whole words, which tended to be confused with one or more phonemes. Although there are slight differences between speakers at the top end of performance, it can be seen that in general /A/ was recognised most reliably, closely followed by /eI/, /S/ and /O/.

It is at the lower end, however, that more obvious differences emerge. None of the speakers has good performance for /N/, for instance, and only Speaker 2 has a reasonable score for /v/. In Speaker 1's data, /p/, although well recognised, suffered from some insertions, and was one of the least accurately recognised phonemes. For this speaker too /m/ scored particularly badly, but /d/ was the least accurate due to an unusually large number of insertions (these will be discussed later). It was /V/ that was least correctly recognised in Speaker 2's case, and this phoneme was relatively often inserted too, making it the least accurate phoneme for this speaker. This may be due to there being relatively few occurrences of this phoneme in Speaker 2's data (18 as opposed 35 in the other speakers' reports. In Speaker 3's case the least correct (apart from /v/ and /N/ which was common to the other speakers) was /b/.

In trying to find general trends in phoneme recognition performance the phonemes were classified into phonetically motivated groups, namely 'manner' and 'place' of articulation. (I have disregarded the word-level models in this classification.) Under 'manner' there is a broad classification into vowels and consonants, which should be self-evident, and a finer one where consonants are split into more specific classes. A list of the members of each of these classes is given in Figure 1, along with the total number of phonemes in each class. The fineness of the place classification was chosen in an attempt to make sure that there were enough members

of a given class to give a reasonable sample. In the case of the centring diphthongs and palatal-alveolars there are probably too few, but it would not have been reasonable to include them in any of the other classes. It would therefore be unwise to draw any conclusions about these two classes. It may be useful to note that in general these classes of phonemes occur comparatively rarely, either in normal speech or in the ARM test data (see Appendix A). So le@/ and le@/ rank 40th and 41st in normal speech and 40th and 30th in ARM. And for the palatal-alveolars, ls/ ranks 31st in normal, 27th in ARM; ls/ 38th (37th); ls/ 36th in both; ls/ ranks 32nd in normal, 33rd in ARM, and ls/ does not occur at all in ARM, and ranks 43rd in normal.

	Speaker 1		Spe	aker 2	Spea	ker 3	Al	ì	
_	%	%	%	*	%	%	5	%	
Phon	Cor	Acc	Cor	Acc	Cor	Aœ	Cor	Acc	Total
\$	83.8	75.7	86.8	80.9	86.8	83.8	85.8	80.2	408
2	86.0	70.2	71.9	50.8	82.5	77.2	80.1	65.5	171
S	83.9	83.9	100.0	100.0	96.8	96.8	93.5	93.5	93
f	8 9.8	85.9	89.8	83.3	83.4	80.8	87.6	83.3	234
v	36.7	20.0	83.3	70.0	50.0	36.7	56.7	42.3	90
T D	83.3	72.2	65.7	54.3	75.0	69.4	74.8	65.5	107
	61.5	.77	0.0	0.0	61.5	.==	0.0	0.0	1
h	61.5	61.5	76.9	76.9		46.2	66.7	61.6	39 27 33
iS dZ	66.7	66.7	88.9	88.9	88.9	88.9	81.5 72.7	81.5	27
	72.7	72.7	81.8	63.6	63.6	63.6	72.7	66.6	33
B	92.7	58.5	90.2	61.0	82.9	58.5	88.6	59.3	123
	60.0	46.7	60.0	60.0	53.4	26.7	57.9	44.4	45
ı,	85.3	81.8	85.3	83.1	87.0	82.7	85.9	82.6	693
d	59.8	19.5	63.4	52.4	70.0	59.8	64.6	43.9	246
k	89.7	84.5	92.7	88.7	90.7	89.7	91.1	87.6	291
8	75.6	75.6	78.0	78.0	87.8	87.8	80.5	80.5	123
LD.	38.8	34.7	85.7	71.4	91.8	85.7	72.2	64.0	147
n N	55.0	54.4	80.1	73.7	77.2	76.0	70.8	66.7	513
	55.6	55.6	50.0	44.4	5 0.0	50.0	51.9	50.0	54
]	78.7	70.7	86.7	81.3	76.0	66.7	80.5	72.9	225
f	88.4	84.5	96.1	96.1	88.4	85.4	90.9	88.7	309
w	79.6	79.6	86.4	81.8	90.9	86.4	85.6	82.6	132
j	100.0	85.7	71.4	71.4	85.7	85.7	85.7	80.9	42
i	84.1	77.3	84.1	80.6	93.7	93.7	86.1	82.1	224
1	65.5	53.8	70.9	70.1	76.3	66.9	72.1	64.0	394
E	74.7	72.3	84.3	83.1	85.6	80.7	81.5	78.7	249
1	90.2	88.2	89.5	84.2	86.0	86.0	88.5	86.1	165
À	97.6	97.6	100.0	9 7.1	94.3	91.4	97.3	95.5	111
Q O U	76.9	76.9	96.7	96.7	84.6	84.6	89.3	89.3	56
0	81.1	78.4	94.6	94.6	100.0	100.0	91.9	91.0	111
	100.0	100.0	66.7	33.3	66.7	66.7	77.8	66.7	9
U	72.7	67.3	83.6	81.8	69.1	67.3	75.2	72.2	165
u 3 @ ∨	100.0	66.7	100.0	100.0	100.0	66.7	100.0	77.2	. 9
æ	56.0	50.0	66.0	58.7	64.7	51.3	62.2	53.3	450
	82.8	77.1	50.0	27.7	74.3	68.6	72.7	63.6	88
el	89.8	89.8	100.0	100.0	91.8	91.8	93.9	93.9	147
al	86.3	86.3	94.1	90.2	94.1	94.1	91.5	89.2	153
ol	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	3
aU	87.5	87.5	87.5	87.5	93.8	87.5	89.6	87.5	48
æυ	71.4	66.1	82.1	80.4	76.8	76.8	76.8	74.4	168
¥ê e€	94.1	94.1	100.0	94.1	82.4	82.4	92.2	90.2	51
-@	50.0	50.0	5 0.0	50.0	50.0	50.0	50.0	50.0	6
(41)	19.0	19.0	38.1	38.1	42.9	42.9	33.3	33.3	63
<oh></oh>	50.0	50.0	33.3	33.3	50.0	50.0	44.4	44.4	18
<af></af>	45.5	45.5	27.3	27.3	45.5	45.5	39.4	39.4	33
<00>	50.0	50.0	50.0	50.0	0.0	0.0	33.3	33.3	6
Overall	75.5	68.8	82.0	76.8	80.8	76.0	79.4	73.8	6873

Table 2 Individual phoneme correct/accuracy for each and all speakers

3.1.2 Manner of articulation

There is no significant difference in the recognition performance between vowels and consonants, with vowel correctness 79.5% (n=2607) and consonants 80.6% (n=4146). However, consonants are more than twice as likely to be inserted as vowels; 267 insertions compared with 119, making the accuracy for the consonants slightly lower; consonants 74.2%, vowels 75.0%.

Again the full set of results for all speakers can be found in Appendix C (tables C5-8); only the information relevant to the current discussion will be presented here. The results analysed in terms of phoneme correctness/accuracy by manner of articulation are therefore shown in Figure 2. The overall manner class accuracy was 87.1%.

MANNER		PLACE		
Plosive pl Affricate tS Strong fricative Weak fricative Liquid/Glide 1r Nasal il Vowel il	bidkg 1521 dZ 60 :S 672 TDh 471 wj 708 m N 714 E { A Q O 2607 U V @ 3 eL of a U @ U	Labial Alveolar Palatal-alveolar Velar Front Central Back Fronting Centring Backing	pbmfvTDwtdnszlrStSdZjkgNhiIE{ V@3 AOQUualeloi I@e@aU@U	879 2565 195 507 1032 547 452 303 57 216

Figure 1 Key of Manner and place class membership

Liquids/glides and strong fricatives were recognised most correctly and accurately for all speakers. Nasals were quite clearly the worst, especially for Speaker 1, though the accuracy of weak fricatives was also poor because of the high number of insertions. Both of these classes may be acoustically weak, and /v/ especially is easily missed, which might explain their poor performance. It is not surprising that strong fricatives should be well modelled, as they are generally acoustically prominent (compared to weak fricatives, especially). More unexpected was the good performance of liquids and glides which are often thought to be problematic for systems with limited ability to model temporal dynamics. The explanation for this may be provided by the variable frame rate analysis which is used [4]; areas which are acoustically stable are compressed into a smaller number of frames/states, while those that vary rapidly, such as /t/,/j/ and /w/ are modelled using comparatively more states, giving the improved time resolution needed to identify these sounds.




Figure 2 Graph of manner class correct/accuracy

3.1.3 Piace of articulation

Figure 3 gives the analysis of the results grouped by place of articulation (and see Appendix C, tables C9-12). The overall place class accuracy was 84.4%. From the graph it can be seen that diphthongs which move towards a front position are most accurately recognised; while among the consonants, palatal-alveolars are the best recognised. Perhaps not surprisingly, central vowels were poorly dealt with. The /@/ vowel represents a large proportion (over 80%) of the central vowels and as this vowel is unstressed and notoriously variable, it is not surprising it is rather loosely modelled, and is not only easily confusable, but frequently inserted too. Labial consonants are only moderately well modelled, perhaps because most of the weak fricatives are in this group, and these are often acoustically indistinct. These results are strikingly consistent across speakers.




Figure 3 Graph of place class correct/accuracy

3.2 Substitutions

3.2.1 Individual phonemes

The substitution rates for individual phonemes for each and all speakers is presented in Table 3. The function words quite clearly were much substituted, and of the phonemes /N, /V and /E are least confused (ignoring those phonemes mentioned earlier that occur only a few times).

When the system misrecognises one phoneme as another it is important to be able to explain why this has happened. If the two phonemes involved differ minimally, in one phonetic feature (/p/ and /b/, for instance) then it may be difficult to improve either model to separate them. If, however, larger differences are involved, there may be more scope for better modelling. In order to investigate what proportion of the substitute a errors were phonetically predictable, phoneme confusion matrices were constructed, and these can be found in Appendix C (tables C13–16). In general confusions are with phonetically similar sounds, though there are some exceptions to this, which are difficult to explain, even when there appears to be some pattern to them. For example, all 4 of Speaker 1's/v/-/@/confusions occurred in the word "seven", but there were as many occasions when the /v/ in this word was correctly recognised, so it is not possible to make any generalisations about the cause of this error.

	Sokr 1	Spkr 2	Spkt 3	_AII_	Total		Spkr 1	Sokr 2	Sokr 3	AU	Total
	11.8	6.6	7.4	8.6	408	i	12.5	13.6	4.2	11.2	224
2	10.5	21.1	7.0	12.9	171	<u>I</u>	18.8	21.4	15.6	18.3	394
Ş	3.2	0.0	0.0	1.1	93	Ę	18.1	9.7	4.8	10.8	249
f	5.1	5.1	12.8	7.7	234		7.8	10.5	12.3	10.3	165
v	23.3	10.0	6.7	13.3	90	A	2.4	0.0	5.7	2.7	111
Т	2.8	14.3	16.7	11.2	107	ĝ	7.7	3.3	0.0	3.6	56
D		100.0	-,-	100.0	1	O	8.1	2.7	0.0	3.6	111
h	23.1	7.7	23.1	17.9	39 27	υ	0.0	0.0	0.0	0.0	9
ıS	33.3	11.1	11.1	15.4	27	u	14.6	14.6	27.3	18.8	165
dZ.	18.2	18.2	18.2	18.2	33	3	0.0	0.0	0.0	0.0	9
	4.9	4.9	12.2	7.3	123	a	14.7	18.0	18.0	16.9	450
B	13.3	6.7	33.3	17.8	45	@ V	14.3	33.3	17.1	21.6	88
ĭ	5.6	6.9	10.4	7.6	693	eĬ	10.2	0.0	8.2	6.1	147
à	14.6	17.1	15.9	15.9	246	ă	5.9	5.9	5.9	5.9	153
Ĭ.	3.1	2.1	5.2	3.4	291	ol ol	0.0	0.0	0.0	0.0	3
	17.1	17.1	9.8	14.6	123	ů. U.	12.5	12.5	6.2	10.4	48
8 m	32.6	10.2	4.1	15.6	147	@ Ŭ	23.2	14.3	21.4	19.6	168
n,	25.1	8.8	12.3	15.4	513	- C	5.9	0.0.	17.6	7.8	51
Ň	27.8	22.2	33.3	27.8	54	Ĭ@ •@	50.0	50.0	\$0.0	50.0	6
	5.3	9.3	10.7	8.4	225			57.1	57.1	65.1	63
	1.9			2.9	309	CID	81.0	66.7	50.0	55.6	18
r	15.9	1.0	5.8			<oh></oh>	50.0			54.5	33
w		9.1	6.8	10.6	132	<of></of>	54.5	72.7	36.4		33 6
,	0.0	14.3	14.3	9.5	42	<0P>	50.0	50 .0	100.0	66.7	D

Table 3 Phoneme substitutions (%) for each and all speakers

3.2.2 Manner of articulation

There is no evidence that either vowels or consonants are more subject to substitution. Figure 4 shows the rate of substitutions for manner of articulation.




Figure 4 Graph of manner class substitutions

Confusions with phonemes from the same class would be more explicable than those with a different one, although there is a hierarchy of class similarities. For instance, plosives are more like affricates than vowels; nasals are more like vowels than they are strong fricatives. And in general this is what we find in the ARM results. Consonants are recognised as consonants 93%, and vowels as vowels nearly 90% of the time. The results of the finer manner class analysis of confusions for all speakers are show in Table 4 (those for individual speakers can be found, as usual in Appendix C, tables C17-20). This matrix shows how often phonemes from one class were recognised as phonemes from other classes. The matrix diagonal shows within-class recognitions.

Nasals were the most confused, though most of the confusions are predictable; nasals share stop-like characteristics with plosives, and a vowel-like structure with liquids and vowels. It is interesting that almost all (95%) of the nasal/plosive confusions were for Speaker 1, where /n/ was mostly misrecognised as /b/ or /d/.

Plosives were misrecognised most often as vowels. Nearly half of these unexpected confusions are with central vowels, indicating that /@/ is a major culprit in misrecognition (as well as being misrecognised itself). In general plosives are the most often substituted class.

	%Recognised										
		Pio	Aff	SE	WE	1./G	Nas	Vow	Total		
	Plosive	87.4	0.3	0.8	0.7	0.6	0.3	1.0	137		
S	Affricate	3.3	81.7	6.7			1.7	1.7	11		
P	Str Fric	1.5	0.4	90.8	0.3		0.7	0.3	574		
6	Wk Fric	5.3	0.2	0.4	80.0			1.3	362		
k	Lig/Glide	0.7	0.1		0.6	87.3	0.4	3.7	611		
e	Nasal	2.2			0.3	1.8	77.2	3.8	497		
n	Vowel	0.6		0.1	0.2	0.6	0.5	89.9	335		

Table 4 Confusion matrix for manner of articulation - all speakers

The rest of the matrix is very much as one would expect. In general in-class recognition is good. Affricates are confused with plosives and strong fricatives with which they share many features. Weak fricatives are also confused with plosives, particular confusion being /f/ with /p/, and as these share place of articulation, being broadly speaking labial, this is not unexpected.

3.2.3 Place of articulation

The substitution rates for place of articulation are shown in Figure 5. As might be expected, central vowels are the weakest; they are confused with a wide range of different classes, and are the most widely substituted class too. Backing, and for Speaker 3, centring diphthongs are also frequently confused. It can be seen from the place confusion matrix in Table 5 that much of the poor recognition of labials is likely to be due to them being confused with each other, with alveolars being the most likely substitute.




Figure 5 Graph of place class substitutions

3.2.4 Contextual Effects.

Substitution errors can sometimes be explained by the normal co-articulatory processes. Examples such as /n/ recognised as /n/ in "machine gun", /m/ as /n/ before an alveolar in "platforms", /g/ as /d/ and /d/ as /p/ in the sequence "target grid ref", /s/ as /z/ in voiced environment "zero seven", and the sequence /st/ recognised as /zd/ in the voiced environment "fuel station" are not hard to find. A more detailed description of these errors is contained in [1]. These examples account for 10% of substitutions.

In addition, as has already been mentioned above, some substitution errors are due to the quite legitimate variations which occur in fluent speech, and these nearly always involve minimal difference between target and recognised phoneme, such as place of articulation or voicing. The alternation of /i/ with /I/ in final unstressed syllables, such as in "facility", and "twenty", and /@/ with practically any unstressed vowel is well known, and was the source of on average 15% of the substitution errors. Such errors may serve to bear out the hypothesis that a major part of the substitution errors made by the system have a phonetic explanation.

		%Recognised										
	Lab	Alv	P-A	Vel	Fm	Bck	Cen	F'g	B'e	C'e	Total	
Labial	86.1	2.6	0.1	0.5		0.2	1.0	0.1	0.1		879	
Alveolar	1.9	85.4	0.3	0.2	0.3	0.2	1.2	0.2	0.1		2565	
Pal-Alv		1.0	91.3		1.5		0.5	0.5	•		195	
Velar	1.6	4.3	0.6	84.4	0.4		0.2	0.6		0.2	5.7	
Front	0.1	0.8	0.4	•	85.5	1.5	2.9	1.0	0.6	0.5	1032	
Back	0.6	1.1			2.7	86.5	1.1	0.2	1.3		547	
Central	2.2	2.0	0.2	0.2	5.7	1.5	67.1	0.5	1.1	0.4	452	
Fronting					3.0	0.7	1.0	93.1	0.7	0.3	303	
Backing		0.5			2.8	0.9	7.9	2.8	79.6	0.5	216	
Centring					8.8		1.8			89.5	57	

Table 5 Confusion matrix for place of articulation - all speakers

3.3 Deletions

3.3.1 Individual phonemes

Deletions account for 42% of the recognition errors, so it would be useful to find out why they occur. Table 6 shows the deletion rates for individual phonemes.

Among the consonants /v/ scores poorly, as does /b/. We have already discussed the possible reasons for the poor performance of /v/, and of weak fricatives and nasals in general, but it is not so clear why a sound such as /b/ should be missed, but since this is consistent across speakers, it is possible that the models are defective in some way. There also appears to be a problem with /m/ specific to Speaker 1; 28.6% of this speaker's /m/s were deleted, as compared to 4.1% for both Speakers 2 and 3. There does not seem to be any particular pattern to these deletions, and there is at the moment no explanation for them, except that the models may be unreliable.

3.3.2 Manner of articulation

The deletions according to manner of articulation are shown in Figure 6. There is no real patterning to manner class deletions, although strong fricatives appear more robust for all speakers than other classes. The large percentage of nasal deletions for Speaker 1 is due in part to the predominance of /m/ deletions already mentioned, but this speaker also has nearly twice as many /n/ deletions as the others.




Figure 6 Graph of manner class deletions

	Sokr 1	Spkr 2	Spkr 3	All	Total		Spkr 1	Sokr 2	Spkr 3	All	Total
	4.4	6.6	5.8	5.6	408	i	3.4	2.3	2.1	2.7	224
Z	3.5	7.0	10.5	7.0	171	1	13.7	7.7	8.1	9.6	394
S	12.9	0.0	3.2	5.4	93	E	7.2	6.0	9.6	7.6	249
f	5.1	35.1	3.8	4.7	234	{	2.0	0.0	1.7	1.2	165
v	40.0	6.7	43.3	30.0	90	À	0.0	0.0	0.0	0.0	111 5 6
T	13.9	20.0	8.3	14.0	107	Q	15.4	0.0	15.4	7.1	56
D		0.0	-,-	0.0	1	Õ	10.8	2.7	0.0	4.5	111 9
h	15.4	15.4	15.4	15.4	39 27 33	Ū	0.0	33.3	33.3	22.2	9
ıŞ	0.0	0.0	0.0	0.0	27	9	12.7	1.8	3.6	6.0	165 9
ďΖ	9.1	0.0	18.2	9.1	33	3	0.0	0.0	0.0	0.0	9
	2.4	4.9	4.9	4.1	123 45	e V	29.3	16.0	17.3	20.9	450
B	26.7	33.3	13.3	24.2	45	Ÿ	2.9	16.7	6.6	8.0	88
ı	9.1	7.8	2.6	6.5	693	ei ai	0.0	0.0	0.0	0.0	147
d	25.6	19.5	13.4	19.5	246	al	7.8	0.0	0.0	2.6	153 3
k	7.2	5.2	4.1	5.5	291	ol	0.0	0.0	0.0	0.0	3
	7.3	4.9	2.4	4.9	123	aU	0.0	0.0	0.0	4.1	48
m	28.6	4.1	4.1	12.2	147	₽U	5.4	3.6	1.8	73.6	168
n	19.9	11.1	10.5	13.8	513	@ U 1@ •@	0.0	0.0	0.0	0.0	168 51
N	16.6	27.8	16.7	20.3	54 225	e e	0.0	0.0	0.0	0.0	6
1	16.0	4.0	13.3	11.1	225	⋖i D	0.0	4.8	0.0	1.6	63
7	9.7	2.9	5.8	6.2	309	<oh></oh>	0.0	0.0	0.0	0.0	18
w	4.5	4.5	2.3	3.8	132	<of></of>	0.0	0.0	18.2	6.1	33
j	0.0	14.3	0.0	4.8	42	<or></or>	0.0	0.0	0.0	0.0	6

Table 6 Phoneme deletions (%) for each and all speakers

3.3.3 Place of articulation

Figure 7 shows the deletions analysed by place of articulation. By far the most deleted class is that of the central vowels, and this is mainly due to the phoneme /@/, which accounts for 93% of all central vowel deletions. The reasons for this are often contextual, as is discussed in 3.3.4 below. Diphthongs are not often deleted, and this could be due to the fact that they are relatively long, and usually have quite a clear structure.




Figure 7 Graph of place class deletions

3.3.4 Contextual effects

A scored deletion is often the result of the system labelling two phonemes as one. The most typical examples of this occur when the same sound occurs at the end of one word and the beginning of the next, as in "five five" or "six six" (five is pronounced "fife" to help avoid confusion with "nine", which is pronounced "niner"). When pronounced in fluent speech the phonemes tend to run into each other, and the system recognises only one, so the above examples will be recognised as /falfalf/ and /slkslks/. This is another example of how the system is

penalised for an error which is due to the normal phonological processes of fluent speech. A different error of this type may be attributed to the fact that we are working with a very limited, and rather specialised vocabulary. Part of the second/n/in "niner" is often labelled as part of the /al/. This may be due to the fact that "niner" occurs frequently in the database, so it will have a significant influence on the (al:n_n) triphone model (/al/ with /n/ as its left and right context).

Many of the deletion errors are caused by genuine elisions by the speaker. For example, the unstressed /@/vowel is often elided, particularly in unstressed syllables before a nasal or liquid. The speaker-specific dictionaries account for a number of such cases, for example in "seven" (/sEvn/) and "hidden" (/hldn/), but in the present analysis if an /@/ appears in the dictionary transcription it will be scored as a deletion if it isn't recognised, even if in reality it wasn't produced. Words like "correction" are transcribed /k@rEkS@n/, but either (or both) of these schwas may be deleted in fast speech - /krEkSn/. It is probably for this reason that /@/ is the most deleted phoneme and is twice as likely to be deleted as any other vowel. Speaker 1 has almost twice as many /@/ deletions as the other two speakers (44 as opposed to 24 for Speaker 2 and 26 for Speaker 3), but 48% of these deletions may be attributed to legitimate variation in the way in which some words are pronounced. A slightly larger proportion of Speaker 2's schwa deletions can be so explained (58%), but less for Speaker 3 (38%).

Another case where deletion is predictable is in word-final stops, which are frequently omitted, particularly in fast speech before a word initial stop (e.g. "target category" is realised as /tAgI k{t@gri/}. There are many of this type of error, and they are analysed in more detail in [1].

Deletions of /h/ are yet another example of phonologically predictable errors. This phoneme can be very variable, as it tends to take on the spectral structure of the following vowel, and is often indistinct from it. In addition one third of /h/ deletions happened after a voiceless plosive e.g. "stroke hotel" which was recognised as /str@Uk @UtEl/, where it is likely that the /h/ has been merged with the aspiration of the /k/, causing it to be missed by the system. On average 15% of all deletions can be explained by phonological effects.

3.4 Insertions

3.4.1 Individual phonemes

Insertions occur when the system has put in an extra phoneme label, and the numbers of insertions for each and all speakers is presented in Table 7. Some of the highly inserted phonemes are speaker specific -/d/ for Speaker 1 is an interesting example for which there is no explanation; others are common to all speakers, and here /@/ is the clearest example. As has already been mentioned the speaker-specific dictionaries account for a number of predictable cases of elision of this phoneme, but there are occasions when the speaker does pronounce /@/, for instance produces not a syllabic /n/, but /@n/. On average 45% of /@/ insertions could be accounted for in this way.

As an interesting aside; of the fl/insertions, all six of those in Speaker 1's case were following the phoneme /O/, This contrasts with four out of seven, for Speaker 3 and one out of four for Speaker 2. This is interesting as for many speakers the so-called "dark /l/" resembles an /O/ vowel in spectral structure (but with a slightly lower intensity), and it could be that an off-glide of /O/ would be confused with fl/.

The phoneme /h/ was inserted only twice, in Speaker 3's data, and both after voiceless plosive (e.g. "time" recognised as /thalm/), and we can hypothesise that the aspiration of the /t/ was what caused the insertion of /h/.

	Sokr 1	Spkr 2	Sokr 3	Total		Spkr 1	Sokr 2	Spkr 3	Total
s z S f v T D h is dZ p b i d k s m n N.	Solt 1 11 9 03 55 4 00 00 14 28 33 5 0 2 1	Spkr 2 8 12 0 5 4 4 0 0 0 2 12 0 5 9 4 0 7 11 11	Sokr 3 4 3 0 2 4 2 0 0 10 10 9 1 0 3 2 0 7	Total 23 24 0 10 13 10 0 2 0 2 36 6 23 51 10 0 12 14	1 E (A Q O U u 3 @ V E a I o a U U @ @ < < ab > <	6 16 2 1 0 0 1 1 0 3 1 9 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Spkr 2 3 1 1 3 1 0 0 1 1 0 1 1 0 1 1 0 0 1 1 0 0 1 1 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0	Sokr 3 0 15 4 0 0 15 0 0 0 0 0 0 0 1 0 0 0 0 0 0 0 0	Total 9 32 7 4 2 0 1 1 5 1 40 8 0 2 0 1 4 1 0 0
N l r w j	0 6 4 0 2	1 4 0 2 0	0 7 3 2 0	1 17 7 4 2	## <ab> <af> <ar></ar></af></ab>	0 0 0 0	0	0 0 0 0	0

Table 7 Phoneme insertions for each and all speakers

3.4.2 Manner of articulation

We have already mentioned that consonants are more than twice as likely to get inserted as vowels. The comparatively high level of consonant insertion was common to Speaker 2 (90 consonants compared with 30 vowels) and Speaker 1 (109 consonants and 44 vowels), but not so conspicuous in Speaker 3's results. The distribution of insertions with respect to where they occur is interesting. As many as 65% of consonant insertions were between words, perhaps being confused with breath noise or lip smacks; while 69% of vowels insertions were within words. Figure 8 shows the distribution of the rather finer manner class insertions.




Figure 8 Graph of manner class insertions

Plosives are most frequently inserted, and 83% of these were between words, possibly bearing out the hypothesis that although there are explicit models for breath noise, lip smacks and other glitches, these sounds are nevertheless being recognised as plosives. The only class of consonants that are more often inserted (77%) within words than between them are the strong fricatives, and this may be for the same reason as vowel insertion, for which see 3.4.4 below.

3.4.3 Place of articulation

The distribution of insertions according to place of articulation is given in Figure 9. The alveolars were most likely to be inserted (though the prevalence of /d/ insertions may account for this). Diphthongs were very rarely inserted, as were the velars and palatal—alveolars, though there are too few of the latter to allow any conclusion to be drawn.




Figure 9 Graph of place class insertions

3.4.4 Contextual effects

A summary of the contexts of insertions can be found in [1]. It often happens that a long phoneme has been recognised as two separate phonemes. Sometimes these phonemes will be identical, as when /@U/(in "zero", for instance) is transcribed as /@U @U/; in other cases the insertion is phonetically related — "many" is recognised as /mEnil/; or diphthongs may be recognised as two vowels, so "eight" gets recognised as /elit/. Off glides from vowels are often recognised as vowel+/@/, e.g. /O/ in "four" as /O@/, and /@U/ in "zero" as /@U@/. Examples such as repetition of identical phoneme labels, split diphthongs, and offglide schwa account for 80% of the vowel insertions (26%, 21% and 33% respectively).

With the consonants the reasons for insertions are not so clear. Some of the insertions, like the vowels, are due to two identical labels being assigned to one phoneme (13%); others (9%) are phonetically related, as when /s/ following a voiced sound (and usually word initial) is transcribed as /z s/. For example, "four six" was recognised /fO z sIks/.

In addition, around 4% of the total consonant insertions are due to the speaker's insertion of certain sounds (mainly glides) as linkers to ease the transition between sounds. Examples of this are insertion of /r/ in "4/8" /fOreItTs/, and between "niner" and "oh". A linking /w/ is inserted in 2/8 – /tuweitTs/, and between "tango" and "eight" /t[Ng@UweIt/; and /j/ in "virtually unusable" /v3tS@II j @n.../. The numbers of such insertions are small in our test data, but this probably reflects the limited occasions when such links could occur. For instance, /w/ was inserted only twice each by Speaker 2 and Speaker 3, and not at all by Speaker 1, but on each of those occasions it could be classed as a linking sound. Similarly, /j/ was only inserted twice by Speaker 1 and not at all by the others, and one of those insertions was a linking one. Three out of four of Speaker 1's, and two out of three of Speaker 3's /r/ insertions were linking cases. The fact that the s; stem inserts the appropriate labels in these cases may indicate that we need to model triphones across word boundaries, rather than just word—internally as we do at the moment.

4. Discussion and conclusions

There are many interesting observations to be made from this data. What has been presented here has been an attempt to pull these together and point out general trends which might indicate what the phoneme models are doing right, as well as what they are doing wrong.

From this short discussion there have emerged two types of error: those which are genuine misrecognitions, and those which are due to the normal co-articulatory effects in fluent speech, and are thus to be expected. As far as the former are concerned, phonological effects appear to be involved in around 30% of such errors.


The vast majority of genuine errors are not unexpected, involving as they do, confusions with rather similar phonemes, or deletions of acoustically weak segments. Weak sounds such as masals or weak fricatives predictably cause problems, as does the neutral /@/. Equally, strong and long sounds such as strong fricatives and diphthongs are well handled. The surprisingly good recognition of liquids and glides may provide an independent vindication of the use of variable frame rate analysis. A large number of the insertions and deletions could probably be prevented if our duration modelling were more sophisticated.

Although the majority of the errors appear to have a phonetic basis, there are cases where the errors are as yet inexplicable from a phonetic point of view – the unusually large number of /d/ insertions in Speaker 1's data, and the poor recognition of the same speaker's /m/, Speaker 3's /b/ and Speaker 2's /V/ for example. A small number of phonemes (and Speaker 2's /V/ may belong to this group) may simply not occur frequently enough for a reliable indication of performance to be made. Where there isn't a phonetic explanation of an error, it would be interesting to find out if the system's own measure of its goodness of match is consistent with our judgement of its performance.

It is important to remember that this study was based on a system which used no dictionary, although the triphones are forced to match at the edges. When lexical and syntactic constraints are available, as they are when the system is run in its usual mode, as a word recogniser, then many of the problems discussed above no longer occur. However, a general improvement in the sub-word level modelling would provide a sound basis for better word recognition and this study has enabled us to pinpoint a few areas where our models might be improved, and may indicate that we need to give some consideration to phonological effects across word boundaries. The level of performance depends ultimately depends on the task and vocabulary, and a next step might be to assess the extent to which the somewhat specialised vocabulary of the ARM task has influenced these results, by looking at other tasks, and bigger vocabularies, as well as at a wider range of speakers.

References

- [1] J D Crowe, "Contextual influences on phoneme recognition in the ARMADA speech recognition system", RSRE SP4 Research Note No. 129, 1990.
- [2] A J Fourcin, G Harland, W Barry, and V Hazan, "Speech Input and Output Assessment. Multilingual Methods and Standards", Ellis Horwood Ltd., Chichester, 1989.
- [3] A C Gimson, An introduction to the pronunciation of English. (Second Edition) Edward Arnold (Publishers) Ltd. 1970.
- [4] S M Peeling and K M Ponting, "Further experiments in variable frame rate analysis for speech recognition", RSRE Memorandum No. 4336, 1990.
- [5] K M Ponting and M J Russell, "The ARM project: automatic recognition of spoken airborne reconnaissance reports", Military and Government Speech Tech '89, Arlington Va., 1989.
- [6] M J Russell, K M Ponting, S R Browning, S Downey and P Howell, "Triphone clustering in the ARM system", RSRE Memorandum No. 4357, 1990.
- [7] MJ Russell, K M Ponting, S M Peeling, S R Browning, J S Bridle, R K Moore, I Galiano and P Howell, "The ARM Continuous Speech Recognition System", Proceedings of the IEEE International Conference on Acoustics, Speech and Signal Processing, Albuquerque, New Mexico, 1990.
- [8] J Wells et al., "Specification of the SAM Phonetic Alphabet (SAM-PA)", included in P Winski, W J Barry and A Fourcin (Eds.) "Support available from the SAM Project for other ESPRIT speech and language work", the SAM Project, University College London, 1990.



Appendix A. Phoneme frequency

Rank	Frequency [3]	Phoneme	Example	ARM frequency	ARM rank
1	10.74	@	alpha	6.67	3
2	8.33	I	civil	5.80	5
3	7.58	n	new	7.60	2
4	6.42	t	target	10.27	1
5	5.14	đ	<u>damaged</u>	3.64	10
6	4.81	s	<u>s</u> ix	6.04	4
7	3.66	1	lima	3.33	12
8	3.56	D	<u>th</u> en	0.01	42
9	3.51	T	rail	4.58	6
10	3.22	m	<u>m</u> ap	2.18	=18
11	3.09	k	correction	4.31	7
12	2.97	E	gnemy	3.67	9
13	2.81	w	<u>w</u> ell	1.96	20
14	2.46	z	comprising	2.53	13
15	2.00	v	o <u>v</u> er	1.33	27
16	1.97	b	a <u>b</u> out	0.67	33
17	1.83	aI	dimension	2.27	17
18	1.79	f	fife	3.46	11
19	1.78	p	рара	1.82	=21
20	1.75	v	пр	1.30	28
21	1.71	el	containing	2.18	=18
22	1.65	i	b <u>ea</u> con	3.91	8
23	1.51	@U	close	2.49	14
24	1.46	h	hotel	0.58	=35
25	1.45	{	damaged	2.44	=15
26	1.37	Q	approx	0.83	29
27	1.24	0	f <u>our</u>	1.64	=23
28	1.15	N	bearing .	0.80	30
29	1.13	u	t <u>wo</u>	2.44	=15
30	1.05	g	grass	1.82	=21
31	0.96	S	ambu <u>sh</u>	1.38	26
32	0.88	j	yard s	0.62	34
33	0.86	U	w <u>oo</u> ds	0.13	=38
34	0.7 9	Α	charlie	1.64	=23
35	0.61	аŪ	s <u>ou</u> th	0.71	32
36	0.60	ďZ	damaged	0.49	36
37	0.52	3	h <u>ear</u> d	0.13	=38
38	0.41	t S	<u>ch</u> arlie	0.40	37
39	0.37	T	three	1.58	25
40	0.34	€@	air	0.08	40
41	0.21	1@	cl <u>ear</u>	0.76	31
42	0.14	οĪ	destr <u>oy</u> ed	0.04	41
43	0.10	Z	pleasure	0.00	=43
44	0.06	U@	poor	0.00	=43

INTENTIONALLY BLANK

about access acquisition active activity acrials aircraft air-raid alpha ammo and antennae anti-armour approx APVs armoured аттау as assembly badger beacon bearing below bomber bravo brow camouflaged canal **carr**iage capability casevac category charlie civil clear comms column complete comprising concrete considerable construction convov co-ords covert damaged data defence defended delta diameter dimension dipoles direction dispersal destroyed dump casy echo eighteen eleven end

@baUt {ksEs kwiziS@n (kűv (kilvlti e@rl@lz e@krAft e@reId {li@ {m@U (nd (ntEnal (ntiAm@ @prQks elpiviz Am@d @rel @sEmbli b[dZ@ bik@n be@rIN bli@U bQm@ brAv@U braU k{m@flAZd k@n{1 k{rldZ kelp@blllti k{z@v{k k{t@gri tSAli sIv@l kll@ kQmz kQl@m k@mplit k@mpraIzIN kQnkrit k@nsldr@bl k@nstrVkS@n kÖnvol k@UOdz k@Uv3ı d{mldZd deli@ dlfEns difEndid dEli@ dal (mli@ dalmEnS@n dalp@Ulz dlrEkS@n disp3s@l distroid dVmp Ek@U eltin IlEv@n

End

above ack-ack action activities acrial AEW airfield airstrip ambush ammunition antenna anti-aircraft anti-tank approximately armour arms artillery assembled associated bear being blocked bowsers bridge C2 camp cantilever carriages capacity cat centre circular civilian close collection communications comprehensive concealed conical consisting containing co-ordinates correction crossing dash deck defences degrees depot difficult dipole direct dish dispersals duģ each east eight eighty emplacement enemy

@bVv {k{k {k\$@n {k:lv!tiz e@rl@l elidVb@lju e@fi@ld e@strlp {mbUS mjunIS@n ntEn@ ntie@krAft (ntit(nk @prQkslm@tli Ăm@ Amz All@ri @sEmbld @s@UsieIt@d be@ biIN blQkt baÙz@z bridZ situ k{mp k{ntlliv@ k{rldZlz k@p{slti k[t sEnt@ s3kjul@ s@v1lj@n kl@Us k@lEkS@n k@njunIkelS@nz k@mprIhEnsIv k@nsiId kQnIk@1 k@nslstIN k@nteinIN k@UOdIn@ts k@rEkS@n krQsIN d{S dlfEnslz d@griz dEp@U dlfik@l: dalp@Ul dIrEkt dIS dlsp3s@lz dVg itS ist eli elti EmpleIsm@nt En@mi

engineering ESM EndZini@rlN iEsEm evidence EvId@ns idVblju feet fit fi@ld fIfti field fifty fal@ fire fishbed fISDEd fIkst fixed tOntald flogger fortified fO fQksb{t four foxbat freli freight fuel fju@l dZiEmti GMT g@UIN going grAs graUnd gVn h[N@ h[vIN grass ground gun hangar having hÈdIN heading halt hEl@Uz height helos halnd hind h@Uk@m hocum horizontal hQrlzQni@1 hospital hQspIt@1 hour hVndrEd hundred hyphen half@n Ink@mplit incomplete Indj@ InQpr@tIv Int{kt india inoperative intact dZolnt ioint dZVnkS@n iunction kilometres kllQm@t@z nQts IOntS knots launch IOntS@z launchers IEs less llft lift lalk like llm@uld limited little i@Ukelild iQdZistiks located logistics lorry machine-gun lQri m@SingVn meInt@n@ns maintenance mEni many mAS@IIN marshalling m@ul@ri@l material mEk@nalzd mechanised mEsldZ message mike malk mallzp3aU@ miles/hour main@ misaliz minor

missiles

erect estimated evident facility a few fifteen fighter firing five flanker forger forty fourteen foxtrot frenzied fulcrum golf goods grid guidance guns hardened havok heavy helicopters hidden hip holding hom hotel howitzer hurried including incorporating infantry installation intelligence juliet kilo kilometres/hour lanes launcher length level light lima lines loading location loop machine main major map mast MCVs medium metres miles military

lrEkt Estimeltid Evid@ni f@sIllti @fju flftin fals@ fal@rIN falf fl{nk@ fOdZ@ fOti fOtin fQkstrQt frEnzid fUlkr@m gQlf gUdz grld gald@ns gVnz hAd@nd h{v@k hEvi hEllkQpt@z hldn hIp h@UldIN hOn h@UtEl haUwltz@ hVrid InkludIN InkOp@reItIN Inf@ntri
Inst@leIS@n
IntElIdZ@ns
dZuliEt kil@U kilQm@t@zp3aU@ leInz IOntS@ **IENT** Œv@1 lalı lim@ lainz I@UdIN k@UkelS@n lup m@Sin mein meidZ@ m{p mAst Emsiviz midj@m mit@z mallz mll@tri mIsall mIkst

missile

mixed

m@UbaII mO m@Ut@raIzd muvm@nt mobile more motorised movement navaid n(veld nju new nalntin nineteen n@U nOT nOTwEst n@Utlst nVmb@ no north northwest noticed number njum@r@s QbstrVktld numerous obstructed Qn Qp@relS@n@l aUt operational out p(k p{n@bQllk pAdi pack parabolic partly peak pik p@h{ps p@s@nEl pl{ifOmz plVs pQntun pQsIbli perhaps personnel platforms plus pontoon possibly prepared pripe@d proceeding pr@sidIN protected pr@tEktld radar reldA rail reli τFdi ready recce r@kQnls@ns reconnaissance rcf rifju@IIN re-fuelling repair r@pit rQmblk r@Ud rQklts repeat rhombic road rockets r@Ut@ri raUndz rotary rounds runways SAM-7 scout sections semi sets seventeen several sidings sighted similar site sixteen size slash something southeast

rEki

r@pe@

rVnwelz

s{msEvn skaUt sEkS@nz

sEmi

sEvntin

sEvr@1

saldINz

saltld

slmII@

slkstin

s@U sVmTIN

saUTist

salt

salz sl{S

sEts

modified most motorway much near nine ninety normal northeast not november a-number observed occupied one oscar OVET papa partially passenger per permanent pipeline platoon police position practically principal projectiles quebec radio railway re-arming receiver red-cross reference refurbishing repaired report river rocket romeo roughly runway SAM scientific section self-propelled serviceable seven seventy siding sierra sighting single six sixty skip small some south southwest

mQdlfald m@Ust m@Ut@wel mVtS nl@ naln@ naInti nOm@l nOTist nO list nQt n@UvEmb@ @nVmb@ Qbz3vd QkjupaId wVn Osk@ @Uv@ p{p{
pAS@li
p{s@ndZ@
p3 p3m@n@nt palplain pl@tun p@lis p@zIS@n pr (kt/kli prinsip@i pr@dZEktaliz kw@bEk reldi@U rellwel riAmIN r@siv@ rEdkrQs rEfr@ns rlf3bISIN rlibbisin r@pe@d r@pOt rIv@ rQkit r@Umi@U rVfli rVnwel s{m sal@ntlflk sEkS@n sElfpr@pEld s3vIs@bl sEvn sEv@nti saldIN siEr@ saltIN sINgl sIks sIksti sklp smOl sVm saUT saUTwEst

span speed spoued squadron station stone storage strip structural supply support swing tango tankers target task taxiways temporary than thirty three to tracked train transmitter trees troops twenty twenty-three twin type undefended unidentified unknown unobstructed unoperational unserviceable uniform U/S use vehicles victor visible wagon water weapons wesi wholly wire with wooden work x-ray j(Nki jAdz yankee yards zulu zulu

sp{n spid spQtd skwQdr@n stelS@n stelS@n stOrldZ strlp strVktS@r@l s@plai s@pOt swIN t{Ng@U t{Nk@z tÀgIt tAsk t{kslwelz tEmp@ri D@n T3ti Tri tu tr{kt treln trAnzmlt@ triz trups twÉnti twEntiTri twIn talp VndlfEndld VnaldEntlfald Vn@Un Vn@bstrVktld Vn@p@relS@n@l Vns3vls@bl junIfOm juEs jus vi@klz vlkt@ vIz@bi w(g@n wOt@ wEp@nz wEst h@Uli wai@ wIT wUd@n w3k Eksrel

spans SPGs squad static steel stop stores stroke summit surface suspension tactical tanker tanks TARWI taxiway temporarily ten thirteen thousand total tracks trains transport troop twelve twenty-one twenty-two two undamaged under unipole unloading unoccupied unrepaired unusable up usable vehicle vertical virtually VSTOL wagons weapon well whiskey wing width

sp(nz EspidZiz skwQd st{tlk sti@1 stQp stOz str@Uk str@Uk s3fls s@spEnS@n t(ktlk@l t(Nk@ t(Nks tAwi t[ks]we] tEmp@re@rIli ιEn T3tin TaUz@nd ualm u@Uu@l tr{ks treInz trAnspOt twElv twEntiwVn twEntitu Vnd{mldZd Vnd@____ junIp@UI VnI@UdIN VnQkjupaId Vnr@pe@d Vnjuz@bl Vijuz@bl juz@bl vi@kl v3tlkl v3tS@li vIstQl w{g@nz wEp@n wEi wiski wIN wIdT wUd wUdz w3kt jAgi jAd zl@r@U

wood

woods

worked

YAGI

yard

zero

Appendix C. Results in full

		%	%	%	No. of	%							
Phonem	e Total	Cor	Sub	_Del	_Ins_	Acc	Phoneme	Total	Cor	Sub	_Del_	Ins	Acc
_	126	02.0	11.0			767					• •		
\$	136	83.8	11.8	4.4	11	75.7	1	88	84.1	12.5	3.4	. 6	77.3
Z	57	86.0	10.5	3.5	9	70.2	Ţ.	117	65.5	18.8	13.7	16	53.8
S	31	83.9	3.2	12.9	0	83.9	Ē	83	74.7	18.1	7.2	2	72.3
1	78	89.8	5.1	5.1	3	85.9	į	51	90.2	7.8	2.0	1	88.2
<u>v</u>	30	36.7	23.3	40.0	5	20.0	A	41	97.6	2.4	0.0	0	97.6
T	36	83.3	2.8	13.9	4	72.2	8	13	76.9	7.7	15.4	0	76.9
D	0		-,-		-	-,-	Õ	37	81.1	8.1	10.8	1	78.4
h	13	61.5	23.1	15.4	0	61.5	υ	3	100.0	0.0	0.0	0	100.0
ıS	9	66.7	33.3	0.0	0	66.7	u	55	72.7	14.6	12.7	3	67.3
ďΖ	11	72.7	18.2	9.1	0	72.7	u 3	3	100.0	0.0	0.0	1	66.7
p	41	92.7	4.9	2.4	14	58.5	<u> </u>	150	56.0	14.7	29.3	9	50.0
P b	15	60.0	13.3	26.7	2	46.7	@ V	35	82.8	14.3	2.9	2	77.1
1	231	85.3	5.6	9.1	8	81.8	eĬ	49	89.8	10.2	0.0	Õ	89.8
ď	82	59.8	14.6	25.6	33	19.5	āĨ	51	86.3	5.9	7.8	Ŏ	86.3
k	97	89.7	3.1	7.2	5	84.5	ol	ī	100.0	0.0	0.0	Ō	100.0
g	41	75.6	17.1	7.3	Ō	75.6	aU	16	87.5	12.5	0.0	Ŏ	87.5
m	49	38.8	32.6	28.6	Ž	34.7	@ັ ບ	56	71.4	23.2	5.4	š	66.1
n	171	55.0	25.1	19.9	ï	54.4	Ĩ@Ĩ	17	94.1	5.9	0.0	ō	94.1
Ň	18	55.6	27.8	16.6	Ö	55.6	•@	2	50.0	50.0	0.0	ŏ	50.0
i	75	78.7	5.3	16.0	ě	70.7	<8D	21	19.0	81.0	0.0	ŏ	19.0
7	103	88.4	1.9	9.7	ă	84.5	<oh></oh>		50.0	50.0	0.0	ŏ	50.0
w	44	79.6	15.9	4.5	ō	79.6	<of></of>		45.5	54.5	0.0	ŏ	45.5
	14	100.0	0.0	0.0	2	85.7	<01>		50.0	50.0	0.0	ŏ	50.0
<u>, </u>		100.0	J.0	0.0			<01>		50.0	30.0	J.U		JU.U

Table C1. Phoneme recognition results for Speaker 1.

s 136 86.8 6.6 6.6 8 80.9 i 88 84.1 13.6 2.3 3 z 57 71.9 21.1 7.0 12 50.8 1 117 70.9 21.4 7.7 1 S 31 100.0 0.0 0 100.0 E 83 84.3 9.7 6.0 1 f 78 89.8 5.1 5.1 5 83.3 {57 89.5 10.5 0.0 3 v 30 83.3 10.0 6.7 4 70.0 A 35 100.0 0.0 30 D 1 0.0 100.0 0.0 0 0.0 0	f % Acc	No. of Ins	% Del	% Sub	% Cor	Total	Phoneme	% Acc	No. of Ins	% Del	% Sub	% Cor	ne Total	Phonen
\$\begin{array}{cccccccccccccccccccccccccccccccccccc	80.6	3	2.3	13.6	84.1	88	i	80.9	8	6.6	6.6	86.8	136	5
f 78 89.8 5.1 5.1 5 83.3 1 57 89.5 10.5 0.0 3 v 30 83.3 10.0 6.7 4 70.0 A 35 100.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 37 94.6 2.7 2.7 0 0 0.0 37 94.6 2.7 2.7 0 0 0.0 0.0 0.0 0.0 37 94.6 2.7 2.7 0 0 0.0 0.0 0.0 0.0 0.0 33.3 1 0.0 0.0 33.3 1 0.0 0.0 33.3 1 0.0 </th <th>70.1</th> <th>1</th> <th>7.7</th> <th>21.4</th> <th>70.9</th> <th>117</th> <th>Ì</th> <th>50.8</th> <th>12</th> <th>7.0</th> <th>21.1</th> <th>71.9</th> <th>57</th> <th>Z</th>	70.1	1	7.7	21.4	70.9	117	Ì	50.8	12	7.0	21.1	71.9	57	Z
v 30 83.3 10.0 6.7 4 70.0 A 35 100.0 0.0 0.0 1 T 35 65.7 14.3 20.0 4 54.3 Q 30 96.7 3.3 0.0 0 D 1 0.0 100.0 0.0 0 0.0 0 B 37 94.6 2.7 2.7 0 B 13 76.9 7.7 15.4 0 76.9 U 3 66.7 0.0 33.3 1 B 9 88.9 11.1 0.0 0 88.9 u 55 83.6 14.6 1.8 1 dZ 11 81.8 18.2 0.0 2 63.6 3 3 100.0 0.0 0.0 0 D 41 90.2 4.9 4.9 12 61.0	83.1	1	6.0	9.7	84.3	83	E	100.0	0	0.0	0.0	100.0	31	S
T 35 65.7 14.3 20.0 4 54.3 Q 30 96.7 3.3 0.0 0 D 1 0.0 100.0 0.0 0 0 0.0 Q 37 94.6 2.7 2.7 0 D 1 3.76.9 7.7 15.4 0 76.9 U 3 66.7 0.0 33.3 1 LS 9 88.9 11.1 0.0 0 88.9 u 55 83.6 14.6 1.8 1 dZ 11 81.8 18.2 0.0 2 63.6 3 3 100.0 0.0 0.0 0.0 D P 41 90.2 4.9 4.9 12 61.0 @ 150 66.0 18.0 16.0 11 D 15 60.0 6.7 33.3 0 60.0 V 18 50.0 3.3 16.7 4 L 231 85.3 6.9 7.8 5 83.1 el 49 100.0 0.0 0.0 0.0 D 18 82 63.4 17.1 19.5 9 52.4 al 51 94.1 5.9 0.0 2 k 97 92.7 2.1 5.2 4 88.7 ol 1 100.0 0.0 0.0 0.0 D 18 97 92.7 2.1 5.2 4 88.7 ol 1 100.0 0.0 0.0 0.0 D 18 98.9 11.1 11 73.7 1@ 15 85.7 10.2 4.1 7 71.4 @ 15 85.7 12.5 0.0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	84.2	3	0.0	10.5	89.5	57	í	83.3	5	5.1	5.1	89.8	78	f
D 1 0.0 100.0 0.0 0 0.0 0 0 37 94.6 2.7 2.7 0 h 13 76.9 7.7 15.4 0 76.9 U 3 66.7 0.0 33.3 1 st. S 9 88.9 11.1 0.0 0 88.9 u 55 83.6 14.6 1.8 1 dZ 11 81.8 18.2 0.0 2 63.6 3 3 100.0 0.0 0.0 0.0 0 p 41 90.2 4.9 4.9 12 61.0 @ 150 66.0 18.0 16.0 11 b 15 60.0 6.7 33.3 0 60.0 V 18 50.0 3.3 16.7 4 t 231 85.3 6.9 7.8 5 83.1 el 49 100.0 0.0 0.0 0.0 0 d 82 63.4 17.1 19.5 9 52.4 al 51 94.1 5.9 0.0 2 k 97 92.7 2.1 5.2 4 88.7 ol 11 100.0 0.0 0.0 0.0 0 g 41 78.0 17.1 4.9 0 78.0 al 0 16 87.5 12.5 0.0 0 m 49 85.7 10.2 4.1 7 71.4 @U 56 82.1 14.3 3.6 1 n 171 80.1 8.8 11.1 11 73.7 1@ 15 17 100.0 0.0 0.0 0.1 N 18 50.0 22.2 27.8 1 44.4 e@ 2 50.0 50.0 0.0 0 1 75 86.7 9.3 4.0 4 81.3 	97.1	1	0.0	0.0	100.0	35	À	70.0	4	6.7	10.0	83.3	30	
h 13 76.9 7.7 15.4 0 76.9 U 3 66.7 0.0 33.3 1 tS 9 88.9 11.1 0.0 0 88.9 u 55 83.6 14.6 1.8 1 dZ 11 81.8 18.2 0.0 2 63.6 3 3 100.0 0.0 0.0 0 0 p 41 90.2 4.9 4.9 12 61.0 @ 150 66.0 18.0 16.0 11 b 15 60.0 6.7 33.3 0 60.0 V 18 50.0 3.3 16.7 4 1 t 231 85.3 6.9 7.8 5 83.1 el 49 100.0 0.0 0.0 0.0 d 82 63.4 17.1 19.5 9 52.4 al 51 94.1 5.9 0.0 2 k 97 92.7 2.1 5.2 4 88.7 ol 1 1 100.0 0.0 0.0 0 0 g 41 78.0 17.1 4.9 0 78.0 al 16 87.5 12.5 0.0 0 m 49 85.7 10.2 4.1 7 71.4 @U 56 82.1 14.3 3.6 1 n 171 80.1 8.8 11.1 11 73.7 l@ 15 10.0 0.0 0.0 0.0 1 N 18 50.0 22.2 27.8 1 44.4 e@ 2 50.0 50.0 0.0 0 1 75 86.7 9.3 4.0 4 81.3 eab 21 38.1 57.1 4.8 0	96.7	0	0.0	3.3	96.7	30	0	54.3	4	20.0	14.3	65.7	35	T
tS 9 88.9 11.1 0.0 0 88.9 u 55 83.6 14.6 1.8 1 dZ 11 81.8 18.2 0.0 2 63.6 3 3 100.0 0.0	94.6	0	2.7	2.7	94.6	37	Ò	0.0	0	0.0	100.0	0.0	1	D
dZ 11 81.8 18.2 0.0 2 63.6 3 3 100.0 0.0 0.0 0 0 p 41 90.2 4.9 4.9 12 61.0 @ 150 66.0 18.0 16.0 11 t 5 60.0 6.7 33.3 0 60.0 V 18 50.0 3.3 16.7 4 t 231 85.3 6.9 7.8 5 83.1 el 49 100.0 0.0 0.0 0 d 82 63.4 17.1 19.5 9 52.4 al 51 94.1 5.9 0.0 2 k 97 92.7 2.1 5.2 4 88.7 ol 1 100.0 0.0 0.0 0.0 0 g 41 78.0 17.1 4.9 0 78.0 al 0 16 87.5 12.5 0.0 0 m 49 85.7 10.2 4.1 7 71.4 @U 56 82.1 14.3 3.6 1 n 171 80.1 8.8 11.1 11 73.7 l@ U 56 82.1 14.3 3.6 1 N 18 50.0 22.2 27.8 1 44.4 e@ 2 50.0 50.0 0.0 0 1 75 86.7 9.3 4.0 4 81.3 	33.3	1	33.3	0,0	66.7	3	U	76.9	0	15.4	7.7	76.9	13	h
dZ 11 81.8 18.2 0.0 2 63.6 3 3 100.0 0.0 0.0 0 0 p 41 90.2 4.9 4.9 12 61.0 @ 150 66.0 18.0 16.0 11 b 15 60.0 6.7 33.3 0 60.0 V 18 50.0 3.3 16.7 4 1 231 85.3 6.9 7.8 5 83.1 el 49 100.0 0.0 0.0 0 0 d 82 63.4 17.1 19.5 9 52.4 al 51 94.1 5.9 0.0 2 k 97 92.7 2.1 5.2 4 88.7 ol 1 100.0 0.0 0.0 0.0 0 g 41 78.0 17.1 4.9 0 78.0 al 16 87.5 12.5 0.0 0 m 49 85.7 10.2 4.1 7 71.4 @U 56 82.1 14.3 3.6 1 n 171 80.1 8.8 11.1 11 73.7 l@ U 56 82.1 14.3 3.6 1 N 18 50.0 22.2 27.8 1 44.4 e@ 2 50.0 50.0 0.0 0 1 75 86.7 9.3 4.0 4 81.3 	81.8	1	1.8	14.6	83.6	55	u	88.9	0	0.0	11.1	88.9	9	ιS
b 15 60.0 6.7 33.3 0 60.0 V 18 50.0 3.3 16.7 4 1 231 85.3 6.9 7.8 5 83.1 el 49 100.0 0.0 0.0 0.0 0 0 0 0 0 0 0 0 0 0 0	100.0	0	0.0	0.0	100.0	3	3	63.6	2	0.0	18.2	81.8	11	ďΖ
t 231 85.3 6.9 7.8 5 83.1 el 49 100.0 0.0 0.0 0 0 d 82 63.4 17.1 19.5 9 52.4 al 51 94.1 5.9 0.0 2 k 97 92.7 2.1 5.2 4 88.7 ol 1 100.0 0.0 0.0 0.0 0 g 41 78.0 17.1 4.9 0 78.0 at 16 87.5 12.5 0.0 0 m 49 85.7 10.2 4.1 7 71.4 @U 56 82.1 14.3 3.6 1 n 171 80.1 8.8 11.1 11 73.7 l@ 17 100.0 0.0 0.0 1 N 18 50.0 22.2 27.8 1 44.4 e@ 2 50.0 50.0 0.0 0 1 75 86.7 9.3 4.0 4 81.3 cap 21 38.1 57.1 4.8 0	58.7	11	16.0			150	@	61.0	12	4.9	4.9	90.2	41	p
t 231 85.3 6.9 7.8 5 83.1 el 49 100.0 0.0 0.0 0 0 d 82 63.4 17.1 19.5 9 52.4 al 51 94.1 5.9 0.0 2 k 97 92.7 2.1 5.2 4 88.7 ol 1 100.0 0.0 0.0 0.0 0 g 41 78.0 17.1 4.9 0 78.0 at 16 87.5 12.5 0.0 0 m 49 85.7 10.2 4.1 7 71.4 @U 56 82.1 14.3 3.6 1 n 171 80.1 8.8 11.1 11 73.7 l@ 17 100.0 0.0 0.0 1 N 18 50.0 22.2 27.8 1 44.4 e@ 2 50.0 50.0 0.0 0 1 75 86.7 9.3 4.0 4 81.3 cap 21 38.1 57.1 4.8 0	27.7	4	16.7	3.3	50.0	18	Ÿ	60.0	0	33.3	6.7	60.0	15	ь
k 97 92.7 2.1 5.2 4 88.7 oI 1 100.0 0.0 0.0 0.0 0 0 g 41 78.0 17.1 4.9 0 78.0 aU 16 87.5 12.5 0.0 0 m 49 85.7 10.2 4.1 7 71.4 @U 56 82.1 14.3 3.6 1 n 171 80.1 8.8 11.1 11 73.7 1@ 17 100.0 0.0 0.0 0.0 0 N 18 50.0 22.2 27.8 1 44.4 e@ 2 50.0 50.0 50.0 0.0 1 75 86.7 9.3 4.0 4 81.3 <ab><ab><ab><ab><a><a><a><a><a><a><a><a><a><a><a><a><a></ab></ab></ab></ab>	100.0	0	0.0		100.0	49	εĬ	83.1	5	7.8	6.9	85.3	231	t
k 97 92.7 2.1 5.2 4 88.7 oI 1 100.0 0.0 0.0 0.0 0.0 g 41 78.0 17.1 4.9 0 78.0 aU 16 87.5 12.5 0.0 0 m 49 85.7 10.2 4.1 7 71.4 @U 56 82.1 14.3 3.6 1 n 171 80.1 8.8 11.1 11 73.7 1@ 17 100.0 0.0 0.0 0.0 0.0 N 18 50.0 22.2 27.8 1 44.4 e@ 2 50.0 50.0 0.0 0 1 75 86.7 9.3 4.0 4 81.3 <a href<="" td=""><td>90.2</td><td>2</td><td>0.0</td><td>5.9</td><td>94.1</td><td>51</td><td>aĬ</td><td>52.4</td><td>9</td><td>19.5</td><td>17.1</td><td>63.4</td><td>82</td><td>d</td>	90.2	2	0.0	5.9	94.1	51	aĬ	52.4	9	19.5	17.1	63.4	82	d
g 41 78.0 17.1 4.9 0 78.0 aU 16 87.5 12.5 0.0 0 m 49 85.7 10.2 4.1 7 71.4 @U 56 82.1 14.3 3.6 1 n 171 80.1 8.8 11.1 11 73.7 l@ 17 100.0 0.0 0.0 1 N 18 50.0 22.2 27.8 1 44.4 e@ 2 50.0 50.0 0.0 0 1 75 86.7 9.3 4.0 4 81.3 <a 10.1016="" doi.org="" href="https://doi.org/10.1003/nc</td><td>100.0</td><td>Č.</td><td></td><td></td><td></td><td></td><td></td><td></td><td>4</td><td>5.2</td><td>2.1</td><td>92.7</td><td>97</td><td>k</td></tr><tr><td>m 49 85.7 10.2 4.1 7 71.4 @U 56 82.1 14.3 3.6 1 n 171 80.1 8.8 11.1 11 73.7</td><td>87.5</td><td></td><td>0.0</td><td></td><td></td><td>16</td><td></td><td>78.0</td><td>0</td><td>4.9</td><td>17.1</td><td>78.0</td><td>41</td><td>g</td></tr><tr><td>n 171 80.1 8.8 11.1 11 73.7 1@ 17 100.0 0.0 0.0 1 N 18 50.0 22.2 27.8 1 44.4 @ 2 50.0 50.0 0.0 0 1 75 86.7 9.3 4.0 4 81.3 	80.4	1	3.6		82.1	56	@ U	71.4	7	4.1	10.2	85.7	49	
N 18 50.0 22.2 27.8 1 44.4 @ 2 50.0 50.0 0.0 0 1 75 86.7 9.3 4.0 4 81.3 abc21 38.1 57.1 4.8 0	94.1	ī						73.7	11	11.1	8.8	80.1	171	n
1 75 86.7 9.3 4.0 4 81.3 <ab display="1"><ab display="1"><ab display="1"><ab display="1"><ab display="1">1 75 86.7 9.3 4.0 4 81.3 <ab display="1"><ab display="1"><ab display="1">1 38.1 57.1 4.8 0</ab></ab></ab></ab></ab></ab></ab></ab>	50.0	Ő							i		22.2		18	
	38.1	Ó						81.3	4	4.0	9.3	86.7	75	1
	33.3	0	0.0	66,7	33.3	6	<oh></oh>	96.1	0	2.9	1.0	96.1	103	T
w 44 86.4 9.1 4.5 2 81.8 <of> 11 27.3 72.7 0.0 0</of>	27.3	0	0.0	72.7		11	<of></of>	81.8	2	4.5	9.1	86.4	44	w
j 14 71.4 14.3 14.3 0 71.4 <or> cor> 2 50.0 50.0 0.0 0 </or>	50.0													i

Table C2. Phoneme recognition results for Speaker 2.

		%	%	%	No. of	%			%	%	%	No. of	
Phonem:	Total	Cor	Sub	_Del_	Ins	Acc	Phoneme	Total	Cor_	Sub	Del	Ins	_Acc
s	136	86.8	7.4	5.8	4	83.8	:	48	93.7	4.2	2.1	0	93.7
2	57	82.5	7.0	10.5	3	77.2	i	160	76.3	15.6	8.1	15	66.9
ŝ	31	96.8	0.0	3.2	ő	96.8	Ė	83	85.6	4.8	9.6	4	80.7
ř	78	83.4	12.8	3.8	2	80.8	7	57	86.0	12.3	1.7	õ	86.0
Ý	30	50.0	6.7	43.3	4	36.7	7	35	94.3	5.7	0.0	ĭ	91.4
Ť	36	75.0	16.7	8.3	2	69.4	Q	13	84.6	0.0	15.4	ô	84.6
Ď	õ				-		ŏ	37	100.0	0.0	0.0	ŏ	100.0
h	13	61.5	23.1	15.4	2	46.2	ŭ	3	66.7	0.0	33.3	ŏ	66.7
ίŠ	9	88.9	11.1	0.0	õ	88.9		55	69.1	27.3	3.6	ĭ	67.3
۵Z	11	63.6	18.2		ŏ		บ 3	33	100.0	0.0	0.0	ó	66.7
	41	82.9	12.2	18.2		63.6	,			18.0	17.3	20	51.3
p b				4.9	10	58.5	@ V	150	64.7				
	15	53.4	33.3	13.3	4	26.7		35	74.3	17.1	8.6	2	68.6
١.	231	87.0	10.4	2.6	10	82.7	e <u>I</u>	49	91.8	8.2	0.0	Ŏ	91.8
d	82	70.7	15.9	13.4	9	59.8	aI	51	94.1	5.9	0.0	0	94.1
k	97	90.7	5.2	4.1	1	89.7	oI	1	100.0	0.0	0.0	0	100.0
8	41	87.8	9.8	2.4	0	87.8	∎Ü	16	93.8	6.2	0.0	1	87.5
m	49	91.8	4.1	4.1	3	85.7	@ U	56	76.8	21.4	1.8	0	76.8
n	171	77.2	12.3	10.5	2	76.0	I@	17	82.4	17.6	0.0	0	82.4
N	18	50.0	33.3	16.7	0	50.0	•œ	2	50.0	50.0	0.0	0	50.0
1	75	76.0	10.7	13.3	7	66.7	<ab< td=""><td>21</td><td>42.9</td><td>57.1</td><td>0.0</td><td>0</td><td>42.9</td></ab<>	21	42.9	57.1	0.0	0	42.9
Ţ	103	88.4	5.8	5.8	3	85.4	<oh></oh>	. 6	50.0	50.0	0.0	0	50.0
w	44	90.9	6.8	2.3	2	86.4	<of></of>		45.4	36.4	18.2		45.4
j	14	85.7	14.3	0.0	õ	85.7	<01>	2	0.0	100.0	0.0	Ŏ	0.0

Table C3. Phoneme recognition performance for Speaker 3.

Phonen	ne Total	% Cor	% Sub	% Del	No. of Ins	% Acc	Phoneme	Total	% Cor	% Sub	% Del	No. of Ins	% Acc
s	408	85.8	8.6	5.6	23	80.2	i	224	86.1	11.2	2.7	9	82.1
Z	171	80.1	12.9	7.0	24	65.5	I	394	72.1	18.3	9.6	32	64.0
z S f	93	93.5	1.1	5.4	0	93.5	E	249	81.5	10.8	7.6	7	78.7
f	234	87.6	7.7	4.7	10	83.3	- 1	165	88.5	10.3	1.2	4	86.1
v	90	56.7	13.3	30.0	13	42.3	À	111	97,3	2.7	0.0	2	95.5
T D	107	74.8	11.2	14.0	10	65.5	0	56	89.3	3.6	7.1	0	89.3
Ď	1	0.0	100.0	0.0	0	0.0	Q	111	91.9	3.6	4.5	1	91.0
h	39	66.7	17.9	15.4	2	61.6	Ū	9	77.8	0.0	22.2	1	66.7
ιS	27	81.5	18.5	0.0	0	81.5	u	165	75.2	18.8	6.0	5	72.2
ıs az	33	72.7	18.2	9.1	2	66.6	u 3	9	100.0	0.0	0.0	2	77.2
	123	88.6	7.3	4.1	36	59.3	@ V	450	62.2	16.9	20.9	40	53.3
P	45	57.9	17.8	24.2	6	44.4	Ÿ	88	72.7	19.3	8.0	8	63.6
ī	693	85.9	7.6	6.5	23	82.6	eÌ	147	93.9	6.1	0.0	0	93.9
d	246	64.6	15.9	19.5	51	43.9	aĬ	153	91.5	5.9	2.6	2	89.2
k	291	91.1	3.4	5.5	10	87.0	ol	3	100.0	0.0	0.0	Ō	100.0
8	123	80.5	14.6	4.9	Ö	80.5	ΰ	48	89.6	6.3	4.1	1	87.5
m	147	72.2	15.6	12.2	12	64.0	@ ∪	168	76.8	19.6	3.6	4	74.4
ת	513	70.8	15.4	13.8	21	66.7	Ĭ@	51	92.2	7.8	0.0	1	90.2
Ñ	54	51.9	27.8	20.3	ī	50.0	- @	6	50.0	50.0	0.0		50.0
í	225	80.5	8.4	11.1	17	72.9	· <ab< td=""><td>63</td><td>33.3</td><td>65.1</td><td>1.6</td><td></td><td>33.3</td></ab<>	63	33.3	65.1	1.6		33.3
ř	309	90.9	2.9	6.2	7	88.7	<oh></oh>	18	44.4	55.6	0.0		44.4
·w	132	85.6	10.6	3.8	4	82.6	<of></of>	33	39.4	54.5	6.1	Ŏ	39.4
j	42	85.7	9.5	4.8	2	80.9	<01>	6	33.3	66.7	0.0	Ŏ	33.3

Table C4. Phoneme recognition performance for all speakers combined.

Appendix C. Results in full

Class	% Cor	% Sub	% Del	No. of Ins	% Acc	Total
Plosive	81.1	7.7	11.2	62	65.8	507 20
Affricate	70.0	25.0	5.0	0	70.0	224
Str Fric	84.4	10.2	5.4	20	75.4	
Wk Fric	75.8	9.6	14.6	12	68.2	157
Lig/Glide	84.3	5.5	10.2	12	79.2	236
Nasal	51.7	26.9	21.4	3	50.4	238
Vowel	76.0	13.5	10.5		71.0	868
Average	74.8	14.1	9.8	21.9	68.6	2250

Table C5. Manner results for Speaker 1.

Class	% Cor	% Sub	% Del	No. of Ins	% A∝	Total
Plosive	82.2	8.3	9.5	30	76.3	507
Affricate	85.0	15.0	0.0	2	75.0	20
Str Fric	84.8	9.4	5.8	20	75.9	224
Wk Fric	81.5	8.9	9.6	13	73.2	157
Lig/Glide	89.9	5.9	4.2	6	87.3	236
Nasal	79.0	10.1	10.9	19	71.0	238
Vowel	82.0	12.2	5.8	30	78.6	868
Average	83.5	10.0	6.5	17.1	76.7	2250

Table C6. Manner results for Speaker 2.

Class	% Cor	% Sub	% Del	No. of Ins	% Acc	Total
Plosive	83.8	11.1	5.1	34	77.1	507
Affricate	75.0	15.0	10.0	0	75.0	20
Str Fric	87.0	6.3	6.7	7	83.9	224
Wk Fric	73.2	13.4	13.4	10	66.9	157
Lig/Glide	84.7	8.1	7.2	12	79.9	236
Nasal	78.2	12.2	9.6	5	76.1	238
Vowel	80.5	12.9	6.6	45	75.3	871
Average	80.3	11.3	8.4	16.1	76.3	2253

Table C7. Manner results for Speaker 3.

Class	% Cor	% Sub	% Del	No. of Ins	% Acc	Total
Plosive	82.4	9.0	8.6	126	74.1	1521
Affricate	76.7	18.3	5.0	2	73.3	60
Str Fric	85.4	8.6	6.0	47	78.4	672
Wk Fric	76.9	10.6	12.5	35	69.4	471
Lig/Glide	86.3	6.5	7.2	30	82.1	708
Nasal	69.6	16.4	14.0	27	65.8	714
Vowel	79.5	12.9	7.6	119	75.0	2607
Average	79.5	10.6	8.7	55.1	74.0	6753

Table C8. Manner results for all speakers.

	%	%	%	No. of	%	
Class	Cor	Sub	Del	Ins	Acc	Total
Labial	72.4	13.3	14.3	30	62.1	293
Alveolar	76.4	11.2	12.4	72	68.0	855
Pal-Al	83.1	9.2	7.7	2	80.0	65
Velar	80.5	10.7	8.8	5	77.5	169
Front	77.0	15.3	7.7	25	69.6	339
Central	61.7	14.4	23.9	12	55.3	188
Back	82.6	8.7	8.7	4	79.9	149
Fronting	88.1	7.9	4.0	0	88.1	101
Backing	75.0	20.8	4.2	3	70.8	72
Centring	89.5	10.5	0.0	0	89.5	19
Average	78.6	12.2	9.1	15.3	74.1	2250

Table C9. Place results for Speaker 1.

Class	% Cor	% Sub	% Del	No. of Ins	% Acc	Total
Labial	83.3	8.5	8.2	34	71.7	293
Alveolar	82.9	8.7	8.4	49	77.2	855
Pal-Al	89.2	7.7	3.1	2	86.2	65
Velar	83.4	8.3	8.3	5	80.5	169
Front	80.6	14.8	4.6	8	78.3	345
Central	64.9	19.3	15.8	15	56.1	171
Back	91.9	6.3	1.8	3	90.0	160
Fronting	97.0	3.0	0.0	2	95.0	101
Backing	83.3	11.1	5.6	ī	81.9	72
Centring	94.7	5.3	0.0	i	89.5	19
Average	85.1	9.3	5.6	12.0	80.6	2250

Table C10. Place Results for Speaker 2.

Class	% Cor	% Sub	% Del	No. of	% Acc	Total
Labial	79.9	11.3	8.8	27	70.6	293
Alveolar	82.3	10.1	7.6	38	77.9	855
Pal-Al	87.7	7.7	4.6	Ō	87.7	65
Velar	83.4	10.7	5.9	3	81.7	169
Front	82.5	10.9	6.6	19	77.0	348
Central	67.0	17.6	15.4	23	54.8	188
Back	84.6	11.9	3.5	2	83.2	143
Fronting	93.1	6.9	0.0	Ō	93.1	101
Backing	80.6	18.1	1.3	ī	79.2	72
Centring	78.9	21.1	0.0	Ō	78.9	19
Average	82.0	12.6	5.4	11.3	78.4	2253

Table C11. Place Results for Speaker 3.

Class	% Cor	% Sub	% Del	No. of	% Acc	Total
Labial	78.5	11.0	10.5	91	68.1	879
Alveolar	80.5	10.0	9.5	159	74.3	2565
Pal-Al	86.7	8.2	5.1	. 4	84.6	195
Velar	82.4	9.9	7.7	13	79.9	507
Front	80.0	13.7	6.3	52	75.0	1032
Central	64.5	17.1	18.4	50	55.4	547
Back	86.6	8.8	4.6	9	84.5	452
Fronting	92.8	5.9	1.3	2	92.1	303
Backing	79.6	16.7	3.7	5	77.3	216
Centring	87.7	12.3	0.0	1	86.0	57
Average	73.9	11.5	6.7	38.6	77.7	6753

Table C12. Place results for all speakers.




Table C13, Confusion matrix for Speaker 1




Table C14. Confusion matrix for Speaker 2




Table C15. Confusion matrix for Speaker 3.




Table C16. Confusion matrix for all speakers.

%Recognised

		Plo	Aff	_SF	_WF	L/G	Nas	_Vow	Total
	Plosive	84.8	0.4	1.4	0.4	0.2		1.4	507
S	Affricate	5.0	70.0	15.0	•	•	5.0		20
р	Str Fric	2.7	0.9	90.6	0.4				224
ō	Wk Fric	3.8	0.6	0.6	77.1			2.5	157
k	Liq/Glide	1.3			0.4	84.3		3.8	236
e	Nasal	8.0			8.0	4.6	60.5	4.2	238
n	Vowel	0.9		0.1	0.2	0.6	0.2	87.2	868

Table C17. Confusion matrix for manner of articulation - Speaker 1.

%Recognised

		Plo	Aff	_SF_	WF	L/G	Nas	Vow	Total
	Plosive	87.8		0.6	0.8	0.6	0.4	0.4	507
S	Affricate		95.0					5.0	20
р	Str Fric			91.5			2.2	0.4	224
Ò	Wk Fric	6.4			83.4			0.6	157
k	Liq/Glide	0,4			1.3	90.3		3.8	236
e	Nasal	0.4				0.4	85.3	2.9	238
n	Vowel	0.7		0.1	0.1	0.5	0.8	91.0	868

Table C18. Confusion matrix for manner of articulation - Speaker 2.

%Recognised

		Plo	Aff	SF	WF	L/G	Nas	Vow	Total
	Plosive	89.7	0.6	0.6	1.0	1.0	0.6	1.2	507
S	Affricate	5.0	80.0	5.0					20
D	Str Fric	1.8	0.4	90.2	0.4			0.4	224
ò	Wk Fric	5.7		0.6	79.6			0.6	157
k	Lig/Glide	0.4	0.4		•	87.3	1.3	3.4	236
e	Nasal					0.4	85.7	4.2	238
n	Vowel	0.2			0.2	0.8	0.5	91.8	868

Table C19. Confusion matrix for manner of articulation - Speaker 3.

%Recognised

		Plo	Aff	_SF	_WF	L/G	Nas	Vow	Total
	Plosive	87.4	0.3	0.8	0.7	0.6	0.3	1.0	1521
S	Affricate	3.3	81.7	6.7			1.7	1.7	60
D	Str Fric	1.5	0.4	90.8	0.3		0.7	0.3	672
Ô	Wk Fric	5.3	0.2	0.4	80.0			1.3	471
k	Lig/Glide	0.7	0.1	•	0.6	87.3	0.4	3.7	708
e	Nasal	2.2			0.3	1.8	77.2	3.8	714
n	Vowel	0.6		0.1	0.2	0.6	0.5	89.9	2607

Table C20. Confusion matrix for manner of articulation - all speakers

		%Recognised										
		Lab	Alv	P-A	Vel	Fm	Bck	Cen	F'g	B'g	C'g	Total
	Labial	82.3	0.3	0.3	0.3		0.3	1.7	0.3	0.3		293
	Alveolar	0.9	82.2	0.2	0.4	0.5	0.2	1.1	0.1	0.1	0.1	855
S	Pal-Alv		3.1	90.8								65
p	Velar	1.8	2.4	1.8	82.8	0.6		0.6	1.2			16 9
ò	Front					81.7	2.1	4.1	1.5	0.9	0.9	339
k	Back		0.7			4.0	82.6	1.3	•	1.3		149
e	Central .	3.2	1.6	0.5	0.5	3.2	1.1	63.3	0.5	1.1	0.5	188
n	Fronting					4.0		2.0	89.1		1.0	101
	Backing					4.2	1.4	6.9	5.6	75.0	1.4	72
	Centring					5.3					94.7	19

Table C21. Confusion matrix for place of articulation - Speaker 1.

					%Reco	gnised					
	Lab	Alv	P-A	Vel	Fm_	Bck	Сеп	F'g	B'e	C'g	Total
Labial	87.4	3.4		0.7			0.3				293
Alveolar	2.6	86.7		0.1	0.4	0.2	0.8	0.1	0.1		855
Pal-Alv			92.3		3.1		1.5				65
Velar	0.6	3.6		85.7	0.6			0.6		0.6	169
Front	0.3	2.3	1.2		84.3	2.3	3.2	0.9	0.3		345
Back	0.6	1.3				91.9		0.6	0.6		160
Central		2.9			5.8	2.9	69.0		1.2	0.6	171
Fronting						2.0	1.0	97.0			101
Backing		1.4				1.4	6.9	1.4	83.3		72
Centring		•			5.3					94.7	19

Table C22. Confusion matrix for place of articulation - Speaker 2.

		%Recognised									
	Lab	Alv	P-A	Vel	Fm	Bck	Cen	F'e	B'e	C,s	Total
Labial	88.7	4.1		0.3		0.3	1.0	,			293
Alveolar	2.1	87.1	0.6	0.1	0.1	0.1	1.9	0.2			855
Pal-Alv	-		90.8		1.5			1.5			65
Velar	2.4	7.1		84.6				-,			169
Front	-				90.2		1.4	0.6	0.6	0.6	348
Back	1.4	1.4			4.2	84.6	2.1		2.1		143
Central	3.2	1.6			7.8	0.5	69.1	1.1	1.1	-	188
Fronting					5.0			93.1	2.0		101
Backing		:	·	· ·	4.2		9.7	1.4	80.6		72
Centring	:		•		15.8	:	5.3	• • • • • • • • • • • • • • • • • • • •		78.9	19

Table C23. Confusion matrix for place of articulation – Speaker 3.

					%Reco	gnised					
	Lab	Alv	P-A	Vel	Fm	Bck	Cen	F'e	B'e	C'e	Total
Labial	86.1	2.6	0.1	0.5		0.2	1.0	0.1	0.1		879
Alveolar	1.9	85.4	0.3	0.2	0.3	0.2	1.2	0.2	0.1		2565
Pal-Alv		1.0	91.3		1.5		0.5	0.5			195
Velar	1.6	4.3	0.6	84.4	0.4		0.2	0.6		0.2	5.7
Front	0.1	0.8	0.4		85.5	1.5	2.9	1.0	0.6	0.5	1032
Back	0.6	1.1			2.7	86.5	1.1	0.2	1.3		547
Central	2.2	2.0	0.2	0.2	5.7	1.5	67.1	0.5	1.1	0.4	452
Fronting					3.0	0.7	1.0	93.1	0.7	0.3	303
Backing		0.5			2.8	0.9	7.9	2.8	79.6	0.5	216
Centring					8.8		1.8			89.5	57

Table C24. Confusion matrix for place of articulation - all speakers.

Overall security classification of sheet	UNCLASSIFIED	······································
As far as possible this sheet should contain only uncl nust be marked to indicate the classification eg (R), ((assified information. If it is necessary to ent	
Originators Reference/Report No. MEMO 4463	Month MARCH	Year 1991
Originators Name and Location RSRE, St Andrews Road Malvern, Worcs WR14 3PS		
Monitoring Agency Name and Location		·····
Title		
	HONEME RECOGNITION PERFO NUOUS SPEECH RECOGNITION	
Report Security Classification UNCLASSIFIED		Title Classification (U, R, C or S)
Foreign Language Title (in the case of translations)		
Conference Details		
Agency Reference	Contract Number and P	Period
Project Number	Other References	
Authors		Pagination and Ref
BROWNING, S R		30
Abstract		
This memorandum presents the results system developed as part of the ARM (described here is to investigate to what cannot may indicate where models may problems of evaluating phoneme recoreport is concerned with a detailed anaphonetic explanations of them.	Airborne Reconnaissance Mission) extent errors can be explained by pay be improved. The background gnition performance are described	project. The aim of the work chonetic effects; those which to the investigation, and the d, then the remainder of the
		Abstract Classification (U,R,C or S)
Descriptors		
Distribution Statement (Enter any limitations on the dis	stribution of the document)	
UNLIMITED		

INTENTIONALLY BLANK